Technical-Data-Sheet

URETHAN

Protective insulating varnish

for protection against chemical exposure



Product description

Article name	URETHAN Spray
Material number	124017
Characteristics	Highly resistant
Applications	Corrosion protection
	Moisture protection
	Protection of appliances and materials against chemical exposure
	Protective coating for electric motors, transformers, components and appliances

Technical data

Content	0.4 l
Colours	transparent color
Drying time	30 minutes
Flash point	-97 °C
Density	0.79 g/cm³
Dielectric strength	82.9 kV/mm

Logistics data

Delivery scope	Protective insulating varnish
Country of origin	France
Customs tariff number	32100010

EAN-UPC	4010311048963			
Base quantity	1	1	12	900
Base unit of measure	Piece	Piece	Piece	Piece
Alternate quantity	1	1	1	1
Alternative unit of measure	Piece	Tin	Carton	Pal. EU
Lenght	64	64	270	1200
Width	64	64	202	800
Height	200	200	203	1400
Dimension unit	Millimetres	Millimetres	Millimetres	Millimetres
Volume	0.819	0.819	11.072	1344
Volume unit	Cubic decimetres	Cubic decimetres	Cubic decimetres	Cubic decimetres
Gross weight	0.372	0.372	4.764	363.8
Net weight	0.372	0.372	4.464	334.8
Weight unit	Kilogram	Kilogram	Kilogram	Kilogram