Technical-Data-Sheet

UNIVERSAL CLEAN 121

Cleaner

for cleaning and degreasing



Product description

Article name	UNIVERSAL CLEANER 121 Tin
Material number	124026
Characteristics	For use with neoprene, polyethylene, EPR, XLPE, PVC, butyl rubber and thermoplastic insulation
	Protection against accidental discharge
	Cleans and degreases without leaving residue, non-conductive
	Fast-acting, safe
	No degradation
Applications	Cleaning of semi-conducting layers
	Removal of semi-conductive residues (such as graphite)
	Cleaning and degreasing of motors and electrical equipment
	Cleaning of cables and conductors
Family notes	Clean all parts thoroughly. Air dry or wipe with a cloth. Repeat operation as required. Always test a small area prior to cleaning plastics or finished surfaces.

Technical data

Content	1 l
Colours	transparent color
Vapour pressure (20 °C)	200 hPa
Flash point	-19 °C
Ignition temperature	260 °C
Lower explosion limit	1.1 Vol.-%
Upper explosion limit	13 Vol.-%
Density	0.62 g/cm³

Logistics data

Delivery scope	Cleaner
Country of origin	Germany
Customs tariff number	38140090

EAN-UPC	4010311045733			
Base quantity	1	1	12	360
Base unit of measure	Piece	Piece	Piece	Piece
Alternate quantity	1	1	1	1
Alternative unit of measure	Piece	Tin	Carton	Pal. EU
Lenght	99	99	420	1200
Width	99	99	310	800
Height	167	167	176	1760
Dimension unit	Millimetres	Millimetres	Millimetres	Millimetres
Volume	1.637	1.637	22.915	1689.6
Volume unit	Cubic decimetres	Cubic decimetres	Cubic decimetres	Cubic decimetres
Gross weight	0.935	0.935	11.52	365.6
Net weight	0.935	0.935	11.22	336.6
Weight unit	Kilogram	Kilogram	Kilogram	Kilogram