
Technical-Data-Sheet

Compact ring clamp

Branch clamp

for low voltage

Branch clamp for aluminium sector shaped conductors.



Product description

Article name	Branch clamp 4x16/50
Material number	126202
Characteristics	Contact screws can be accessed from the side or from above
	No stripping of wires
	Can be installed / operated while under voltage
	Safe and easy to handle
Applications	For 3- or 4-core cables with PVC, XLPE (VPE) EPR insulation
	RM (class 2), SE (class 1) according to DIN EN/IEC 60228 (VDE 0295)

Technical data

Materials	Blank aluminium
Cross section Cu/RM min	16 mm²
Cross section Cu/RM max	16 mm²
Cross section Branch cable min	6 mm²
Cross section Branch cable max	50 mm²
Width across flat 1	6 mm
Width across flat 2	5 mm
Diameter D	83 mm
Number of conductors	4 Pieces

Logistics data

Delivery scope	Branch clamp
Country of origin	Germany
Customs tariff number	85369010

EAN-UPC	4010311062358			
Base quantity	1	1	5	
Base unit of measure	Piece	Piece	Piece	
Alternate quantity	1	1	1	
Alternative unit of measure	Piece	Bag1	Carton	
Lenght	123	123	215	
Width	89	89	100	
Height	50	50	100	
Dimension unit	Millimetres	Millimetres	Millimetres	
Volume	0.547	0.547	2.15	
Volume unit	Cubic decimetres	Cubic decimetres	Cubic decimetres	
Gross weight	0.36	0.36	2.1	
Net weight	0.36	0.36	1.8	
Weight unit	Kilogram	Kilogram	Kilogram	