Technical-Data-Sheet

No. 63

Copper braid tape

for shielding and potential control



Product description

Article name	No. 63
Material number	126315
Characteristics	Wrinkle-free application to all contours
	High flexibility
	Unbreakable
Applications	Earthing continuity and earth bonding
	Electrostatic shielding continuity
	Semi-conducting continuity for connectors
	Voltage grading continuity

Technical data

Materials	Braided tinned copper wires
Length L	5 m
Width B	60 mm
Thickness	0.5 mm
Colours	silver

Logistics data

Delivery scope	Copper braid tape
Country of origin	Germany
Customs tariff number	74198010

EAN-UPC	4010311082417			
Base quantity	1	1	100	
Base unit of measure	Piece	Piece	Piece	
Alternate quantity	1	1	1	
Alternative unit of measure	Piece	Bag1	Carton	
Lenght	122	122	475	
Width	79	79	400	
Height	62	62	365	
Dimension unit	Millimetres	Millimetres	Millimetres	
Volume	0.598	0.598	69.35	
Volume unit	Cubic decimetres	Cubic decimetres	Cubic decimetres	
Gross weight	0.163	0.163	16.6	
Net weight	0.163	0.163	16.3	
Weight unit	Kilogram	Kilogram	Kilogram	