Technical-Data-Sheet

No. 63

Copper braid tape

for shielding and potential control



Product description

Article name	No. 63
Material number	126316
Characteristics	Wrinkle-free application to all contours
	High flexibility
	Unbreakable
Applications	Earthing continuity and earth bonding
	Electrostatic shielding continuity
	Semi-conducting continuity for connectors
	Voltage grading continuity

Technical data

Materials	Braided tinned copper wires
Length L	10 m
Width B	60 mm
Thickness	0.5 mm
Colours	silver

Logistics data

Delivery scope	Copper braid tape
Country of origin	Poland
Customs tariff number	74198010

EAN-UPC	4010311057583			
Base quantity	1	1	80	
Base unit of measure	Piece	Piece	Piece	
Alternate quantity	1	1	1	
Alternative unit of measure	Piece	Bag1	Carton	
Lenght	100	100	585	
Width	100	100	395	
Height	70	70	335	
Dimension unit	Millimetres	Millimetres	Millimetres	
Volume	0.7	0.7	77.41	
Volume unit	Cubic decimetres	Cubic decimetres	Cubic decimetres	
Gross weight	0.319	0.319	25.82	
Net weight	0.319	0.319	25.52	
Weight unit	Kilogram	Kilogram	Kilogram	