# Technical-Data-Sheet

## SB 2:1

### Heat shrinkable tube in dispenser box

thin wall shrink ratio 2 : 1 without adhesive




### Product description

| | |
|---|---|
| Article name | SB 9.5-4.8 |
| Material number | 127068 |
| Characteristics | Back-winding mechanism facilitates rolling up of tube |
| | User friendly, notch prevents tube from rolling back into the box |
| | Déroulement facilité |
| | Self-extinguishing (except transparent) |
| Applications | Bundling |
| | Marking |
| | Corrosion protection |
| | Mechanical protection |
| Family notes | A standard spool may include sections which have been tied together. |
| | See „SR1F“ heat shrinkable tube for further information on product properties |

## Technical data

| | |
|---|---|
| Test standards | UL E172094 |
| | MIL-I-23053/5 Class 1 |
| Materials | Cross-linked polyolefin |
| | Free of lead and cadmium |
| Length L | 10 m |
| Colours | blue |
| Inner diameter before shrinking (inch) | 3/8" |
| Inner diameter before shrinking (mm) | 9.5 mm |
| Inner diameter after shrinking (mm) | 4.8 mm |
| Recovered wall thickness | 0.64 mm |

## Logistics data

| | |
|---|---|
| Delivery scope | Thin wall heat shrinkable tube in dispenser box |
| Shelf life description | Unlimited shelf life |
| Country of origin | Poland |
| Customs tariff number | 39173200 |

| | | | | |
|---|---|---|---|---|
| EAN-UPC | 4010311036052 | | | |
| Base quantity | 1 | 1 | 36 | |
| Base unit of measure | Piece | Piece | Piece | |
| Alternate quantity | 1 | 1 | 1 | |
| Alternative unit of measure | Piece | Case | Carton | |
| Lenght | 170 | 170 | 410 | |
| Width | 165 | 165 | 410 | |
| Height | 57 | 57 | 415 | |
| Dimension unit | Millimetres | Millimetres | Millimetres | |
| Volume | 1.599 | 1.599 | 69.762 | |
| Volume unit | Cubic decimetres | Cubic decimetres | Cubic decimetres | |
| Gross weight | 0.232 | 0.232 | 8.652 | |
| Net weight | 0.232 | 0.232 | 8.352 | |
| Weight unit | Kilogram | Kilogram | Kilogram | |