Technical-Data-Sheet

CKS 630A

Coupling element up to 36 kV

for separable connector type CTS


The coupling element CKS is suitable for connecting two T-shaped separable connectors CTS up to 36 kV. It can be used for 630 A and 1250 A applications.



Product description

Article name	CKS 1250A 36kV
Material number	450152
Characteristics	Safe and easy to handle
	Quick, safe and easy assembly
	Individually tested
Applications	Indoor

Technical data



Voltage levels	U0/U (Um) 6/10 (12) kV - 19/33 (36) kV
Test standards	IEC 60137
Length L	196.5 mm
Length L1	61.5 mm
Length L2	91 mm
Diameter D	70 mm
Diameter D1	56 mm
Diameter D2	46 mm

Logistics data

Delivery scope	Set of 3 separable coupling connectors
	Assembly material
	Assembly instructions
Shelf life description	Unlimited shelf life
Country of origin	Germany
Customs tariff number	85479000

EAN-UPC	4010311198880			
Base quantity	1	1	64	
Base unit of measure	Piece	Piece	Piece	
Alternate quantity	1	1	1	
Alternative unit of measure	Piece	Carton	Pal. OW	
Lenght	379	379	1200	
Width	289	289	800	
Height	118	118	1130	
Dimension unit	Millimetres	Millimetres	Millimetres	
Volume	12.925	12.925	1.085	
Volume unit	Cubic decimetres	Cubic decimetres	Cubic metres	
Gross weight	5.7	5.7	383	
Net weight	5.7	5.7	364.8	
Weight unit	Kilogram	Kilogram	Kilogram	