EU safety data sheet

Trade name: Contact Cleaner
Product no.: L20
Current version : 5.1.0, issued: 03.03.2021 **Replaced version:** 5.0.0, issued: 20.08.2020 **Region:** GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

Contact Cleaner

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture
Cleaning spray of electronic components

Uses advised against
No data available.

1.3 Details of the supplier of the safety data sheet

Address
BBC Cellpack GmbH
Carl-Zeiss-Strasse 20
79761 Waldshut-Tiengen

Telephone no. +49 (0)7741 6007-0
Fax no. +49 (0)7741 64989
e-mail electrical.products@cellpack.com

Information provided by / telephone
+49 (0)7741 6007-0

Advice on Safety Data Sheet
msds@cellpack.com

1.4 Emergency telephone number

For medical advice (in German and English):
+49 (0)551 192 40 (Giftinformationszentrum Nord)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)
Aerosol 1; H222
Aquatic Chronic 2; H411
Skin Irrit. 2; H315
STOT SE 3; H336

Classification information
This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:
Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP
Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms


GHS02


GHS07


GHS09

Signal word

Danger

Hazardous component(s) to be indicated on label:
Hydrocarbons, C6, isoalkanes, <5% n-hexane

Hazard statement(s)

H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P410+P412	Protect from sunlight. Do no expose to temperatures exceeding 50°C/122°F.

Supplemental label elements
Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use.
Do not spray on a naked flame or any incandescent material.
Keep out of the reach of children.

2.3 Other hazards
During and after use possible formation of combustible mixture with solvents.

SECTION 3: Composition/information on ingredients

3.1 Substances
Not applicable. The product is not a substance.

3.2 Mixtures
Chemical characterization
Mixture of the following substances, containing non-hazardous substances:

Hazardous ingredients

No	Substance name		Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration	%
1	**Hydrocarbons, C6, isoalkanes, <5% n-hexane**			
	64742-49-0 931-254-9 - 01-2119484651-34	Flam. Liq. 2; H225 Asp. Tox. 1; H304 Skin Irrit. 2; H315 STOT SE 3; H336 Aquatic Chronic 2; H411	>= 70.00 - < 90.00	wt%
2	**ethanol**			
	64-17-5 200-578-6 603-002-00-5 -	Flam. Liq. 2; H225	< 20.00	wt%
3	**carbon dioxide**			
	124-38-9 204-696-9 - -	-	>= 5.00 - < 10.00	wt%

Full Text for all H-phrases and EUH-phrases: pls. see section 16

SECTION 4: First aid measures

4.1 Description of first aid measures

General information
In all cases of doubt, or when sickness symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. Remove soiled or soaked clothing immediately.

After inhalation
Remove to fresh air, keep patient warm and at rest. Irregular breathing/no breathing: artificial respiration. If unconscious place in recovery position and seek medical advice.

After skin contact
Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.

After eye contact
Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Seek medical assistance.

After ingestion
Do not induce vomiting. Call a doctor immediately. Never give anything by mouth to an unconscious person. Keep at rest.

4.2 Most important symptoms and effects, both acute and delayed
No data available.

4.3 Indication of any immediate medical attention and special treatment needed
No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media
Alcohol resistant foam, CO2, powders, water spray

Unsuitable extinguishing media
High power water jet

5.2 Special hazards arising from the substance or mixture
Fire will produce dense black smoke. Exposure to decomposition products may cause a health hazard. Exposure to heat may cause bursting of the aerosol packagings.

5.3 Advice for firefighters
When extinguishing fires, use breathing apparatus with an independent source of air. Cool endangered containers with water in case of fire. DO NOT ALLOW RUN-OFF FROM FIRE FIGHTING TO ENTER DRAINS OR WATER COURSES

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel
Exclude sources of ignition and ventilate the area. Do not inhale vapours. Refer to protective measures listed in sections 7 and 8.

For emergency responders
No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions
Do not allow to enter drains. If the product contaminates lakes, rivers or sewage, inform appropriate authorities in accordance with local regulations.

6.3 Methods and material for containment and cleaning up
Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Clean preferably with a

detergent - avoid use of solvents.

6.4 Reference to other sections
No data available.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling
Prevent the creation of flammable or explosive concentrations of vapour in air and avoid vapour concentration higher than the occupational exposure limits. The product should only be used in areas from which all naked lights and other sources of ignition have been excluded. Comply with the health and safety at work laws.

General protective and hygiene measures
Do not eat or drink during work - no smoking. Avoid contact with eyes and skin. Remove soiled or soaked clothing immediately. Wash hands before breaks and after work.

Advice on protection against fire and explosion
Vapours are heavier than air and may spread along floors. Vapours may form explosive mixtures with air.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions
Always keep in containers of same material as the original one. See also instructions on the label. Avoid heating and direct sunlight. Keep container dry in a cool, well-ventilated place.

Recommended storage temperature

Value	<	50	°C

Requirements for storage rooms and vessels
Storage rooms must be properly ventilated.

Incompatible products
Do not store together with: oxidizing agents; oxidizing substances; spontaneously combusting substances

7.3 Specific end use(s)
No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.		EC no.	
1	**ethanol**	**64-17-5**		**200-578-6**	
	List of approved workplace exposure limits (WELs) / EH40				
	Ethanol				
	WEL long-term (8-hr TWA reference period)	1920	mg/m³	1000	ppm
2	**carbon dioxide**	**124-38-9**		**204-696-9**	
	2006/15/EC				
	Carbon dioxide				
	WEL long-term (8-hr TWA reference period)	9000	mg/m³	5000	ppm
	List of approved workplace exposure limits (WELs) / EH40				
	Carbon dioxide				
	WEL short-term (15 min reference period)	27400	mg/m³	15000	ppm
	WEL long-term (8-hr TWA reference period)	9150	mg/m³	5000	ppm

DNEL, DMEL and PNEC values

DNEL values (worker)

No	Substance name			CAS / EC no
	Route of exposure	Exposure time	Effect	Value

1	**Hydrocarbons, C6, isoalkanes, <5% n-hexane**			**64742-49-0 931-254-9**	
	dermal	Long term (chronic)	systemic	13964	mg/kg/day
	inhalative	Long term (chronic)	systemic	5306	mg/m³

DNEL value (consumer)

No	Substance name			CAS / EC no	
	Route of exposure	**Exposure time**	**Effect**	**Value**	
1	**Hydrocarbons, C6, isoalkanes, <5% n-hexane**			**64742-49-0 931-254-9**	
	oral	Long term (chronic)	systemic	1301	mg/kg/day
	dermal	Long term (chronic)	systemic	1377	mg/kg/day
	inhalative	Long term (chronic)	systemic	1131	mg/m³

8.2 Exposure controls

Appropriate engineering controls
Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL, suitable respiratory protection must be worn.

Personal protective equipment

Respiratory protection
If workers are exposed to concentrations above the exposure limit they must use appropriate, certified respirators: Use half-mask model with cartridge or air-fed. Recommendation: gas filter A, code colour: brown

Eye / face protection
Tightly fitting safety glasses (EN 166).

Hand protection
Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.
Appropriate Material nitrile rubber

Other
Personal should wear antistatic clothings made of natural fiber or of high temperature resistant synthetic fiber. All parts of the body should be washed after contact.

Environmental exposure controls
No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State of aggregation
liquid

Form/Colour
Aerosol
colourless

Odour
characteristic

pH value
No data available

Boiling point / boiling range		
Value	60	°C

Melting point/freezing point
No data available

Decomposition temperature
No data available

Flash point			
Value	<	-20	°C

Ignition temperature		
Value	300	°C

Flammability
No data available

Lower explosion limit		
Value	1.2	% vol

Upper explosion limit		
Value	7.0	% vol

Vapour pressure		
Value	227	hPa
Reference temperature	20	°C
Value	719	hPa
Reference temperature	50	°C

Relative vapour density
No data available

Relative density
No data available

Density		
Value	0.68	g/cm³
Reference temperature	20	°C

Solubility
No data available

Partition coefficient n-octanol/water (log value)
No data available

Viscosity
No data available

Particle characteristics
No data available

9.2 Other information

Other information
No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity
No data available.

10.2 Chemical stability
No data available.

10.3 Possibility of hazardous reactions
No data available.

10.4 Conditions to avoid
Heat, naked flames and other ignition sources.

10.5 Incompatible materials
oxidizing agents; oxidizing substances; spontaneously combusting substances

10.6 Hazardous decomposition products
When exposed to high temperatures may produce hazardous decomposition products such as carbon monoxide and dioxide, smoke, oxides of nitrogen.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity				
No	**Substance name**	**CAS no.**		**EC no.**
1	**Hydrocarbons, C6, isoalkanes, <5% n-hexane**	**64742-49-0**		**931-254-9**
LD50	>	5000		mg/kg bodyweight
Species	rat			
Method	OECD 401			
Source	ECHA			

Acute dermal toxicity				
No	**Substance name**	**CAS no.**		**EC no.**
1	**Hydrocarbons, C6, isoalkanes, <5% n-hexane**	**64742-49-0**		**931-254-9**
LD50	>	3350		mg/kg bodyweight
Species	rabbit			
Method	OECD 402			
Source	ECHA			

Acute inhalational toxicity				
No	**Substance name**	**CAS no.**		**EC no.**
1	**Hydrocarbons, C6, isoalkanes, <5% n-hexane**	**64742-49-0**		**931-254-9**
LC50		259		mg/l
Duration of exposure		4		h
State of aggregation	Vapour			
Species	rat			
Method	OECD 403			
Source	ECHA			

Skin corrosion/irritation
No data available

Serious eye damage/irritation				
No	**Substance name**	**CAS no.**		**EC no.**
1	**Hydrocarbons, C6, isoalkanes, <5% n-hexane**	**64742-49-0**		**931-254-9**
Duration of exposure		72		h
Species	rabbit			
Method	OECD 405			
Source	ECHA			
Evaluation	non-irritant			

Respiratory or skin sensitisation				
No	**Substance name**	**CAS no.**		**EC no.**
1	**Hydrocarbons, C6, isoalkanes, <5% n-hexane**	**64742-49-0**		**931-254-9**
Route of exposure	Skin			
Species	mouse			
Method	OECD 429			
Source	ECHA			
Evaluation	non-sensitizing			

Germ cell mutagenicity			
No	**Substance name**	**CAS no.**	**EC no.**
1	**Hydrocarbons, C6, isoalkanes, <5% n-hexane**	**64742-49-0**	**931-254-9**
Type of examination	gene mutation assay		
Species	Salmonella typhimurium		
Method	OECD 471		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
Route of exposure	inhalational		
Type of examination	Chromosome aberration test		
Species	rat		
Method	OECD 475		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Reproduction toxicity			
No	**Substance name**	**CAS no.**	**EC no.**
1	**Hydrocarbons, C6, isoalkanes, <5% n-hexane**	**64742-49-0**	**931-254-9**
Route of exposure	inhalational		
NOAEC	9000	ppm	
Duration of exposure	13	week/s	
Type of examination	2 generation study		
Species	rat		
Method	OECD 416		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Carcinogenicity			
No	**Substance name**	**CAS no.**	**EC no.**
1	**Hydrocarbons, C6, isoalkanes, <5% n-hexane**	**64742-49-0**	**931-254-9**
Route of exposure	inhalational		
NOAEC	9016	ppm	
Duration of exposure	2	year(s)	
Species	mouse		
Method	OECD 451		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

STOT - single exposure
No data available

STOT - repeated exposure			
No	**Substance name**	**CAS no.**	**EC no.**
1	**Hydrocarbons, C6, isoalkanes, <5% n-hexane**	**64742-49-0**	**931-254-9**
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Aspiration hazard
No data available

Delayed and immediate effects as well as chronic effects from short and long-term exposure
Exposure to component solvents vapours concentration in excess of the stated occupational exposure limit may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on kidney, liver and central nervous system. Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness. Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and absorption through the skin. The liquid splashed in the eyes may cause irritation and reversible damage.

11.2 Information on other hazards

Endocrine disrupting properties
No data available.

Other information
No data available.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish (acute)
No data available

Toxicity to fish (chronic)
No data available

Toxicity to Daphnia (acute)
No data available

Toxicity to Daphnia (chronic)
No data available

Toxicity to algae (acute)
No data available

Toxicity to algae (chronic)
No data available

Bacteria toxicity
No data available

12.2 Persistence and degradability
No data available.

12.3 Bioaccumulative potential
No data available.

12.4 Mobility in soil
No data available.

12.5 Results of PBT and vPvB assessment
No data available.

12.6 Endocrine disrupting properties
No data available.

12.7 Other adverse effects

Other adverse effects
Danger to drinking water if even extremely small quantities leak into the ground.

12.8 Other information

Other information
The product should not be allowed to enter drains or water courses.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product
Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.
Hand over only completely emptied aerosol cans for valuable substance recovery!

Packaging
Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for

reuse. Packaging that cannot be cleaned should be disposed of in agreement with the regional waste disposal company.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

Class	2
Classification code	5F
UN number	UN1950
Proper shipping name	AEROSOLS
Tunnel restriction code	D
Label	2.1
Environmentally hazardous substance mark	Symbol "fish and tree"

14.2 Transport IMDG

Class	2
UN number	UN1950
Proper shipping name	AEROSOLS
Technical name	Hydrocarbons, C6, isoalkanes, <5% n-hexane
EmS	F-D, S-U
Label	2.1
Marine pollutant mark	Symbol "fish and tree"
Comments	The outer packings (boxes or cartons) should comply with the Regulations of Packing Group II at least.

14.3 Transport ICAO-TI / IATA

Class	2.1
UN number	UN1950
Proper shipping name	Aerosols, flammable
Label	2.1
Comments	The outer packings (boxes or cartons) should comply with the Regulations of Packing Group II (IATA-Regulation 5.2 PI203).

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)
According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation
According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES	
The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII.	No 3

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances	
This product is subject to Part I of Annex I, risk category:	E2, P3a
If the properties of the substance/product give rise to more than one classification, for the purposes of 2012/18/UE, the lowest qualifying quantities set out in Part 1 and Part 2 of Annex I shall apply.	

Directive 2010/75/EU on industrial emissions (integrated pollution prevention and control)	
VOC-value	266 g/ container
Comments	400ml Can

Other regulations
Adhere to the national sanitary and occupational safety regulations when using this product.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:
Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.
Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.
National Threshold Limit Values of the corresponding countries as amended in each case.
Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.
The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H225	Highly flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.

This information is based on our present knowledge and experience.
The safety data sheet describes products with a view to safety requirements.
It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.
Prod-ID 617011