




type number	for width of cable tray (mm)	A (mm)	B (mm)	H (mm)	thickness of metal sheet (mm)	weight (kg/pc)	🔥
<b>VSO 90X50_S</b>		54	319		0,55	0,13	🔥
<b>VSO 90X50_F</b>	50	55	318	12	0,8	0,22	🔥
<b>VSO 90X50_ZM</b>		55	318		0,75	0,14	🔥
<b>VSO 90X75_S</b>	75	79	319	12	0,55	0,14	🔥
<b>VSO 90X100_S</b>		104	319		0,55	0,17	🔥
<b>VSO 90X100_F</b>	100	105	318	12	0,8	0,29	🔥
<b>VSO 90X100_ZM</b>		105	318		0,75	0,23	🔥
<b>VSO 90X150_S</b>		154	319		0,55	0,24	🔥
<b>VSO 90X150_F</b>	150	155	318	12	0,8	0,41	🔥
<b>VSO 90X200_S</b>			318		0,8	0,45	🔥
<b>VSO 90X200_F</b>	200	205	318	12	0,8	0,53	🔥
<b>VSO 90X200_ZM</b>			318		0,75	0,42	🔥
<b>VSO 90X300_S</b>			318			0,82	🔥
<b>VSO 90X300_F</b>	300	305	180	12	1,0	0,95	🔥
<b>VSO 90X300_ZM</b>			318			0,81	🔥
<b>VSO 90X400_S</b>			318			1,09	🔥
<b>VSO 90X400_F</b>	400	405	180	15	1,0	1,26	🔥
<b>VSO 90X400_ZM</b>			318			1,09	🔥
<b>VSO 90X500_S</b>			318			1,34	🔥
<b>VSO 90X500_F</b>	500	505	180	15	1,0	1,55	🔥
<b>VSO 90X500_ZM</b>			318			1,34	🔥
<b>VSO 90X600_S</b>	600	605	180	15	1,0	1,59	🔥
<b>VSO 90X600_F</b>			180			1,85	🔥



product description:

This cover is used to cover the rising elbow SO.

To fix the cover use 4 pcs of cover fixtures VU

All coated covers S and ZM and coated covers F with a width of 50 - 200 mm are supplied straight. They are constructed from one piece of sheet metal with cut sides for shaping during assembly.

Coated covers F with a width of 300 - 600 mm are supplied already bent in the shape of a rising elbow.

These items can also be ordered in a varnished version.



surface finish:

S - Pre-Galvanized according to EN 10346, EN 10143, zinc-layer 15-27 µm

F - Hot Dip Galvanized according to ČSN EN ISO 1461, zinc-layer 45 µm (min. 35 µm)

ZM - galvanized steel with admixture of magnesium and aluminum according to EN 10346, EN 10143, protective layer 18-31 µm

sales amount:

1 pc

meets the requirements: ČSN EN 61537:02

classification 🔥:

ČSN 73 0895 P 90-R  
DIN 4102-12 E 90  
STN 92 0205 PS 90

Fire classification depends on the specific conditions of the cable tray, detailed in the catalog Systems with maintained functionality in fire

storage:

ČSN EN 60721-3-1



 **WARNING****Risk of injury from cutting**

Although the cable trays are produced with maximum effort to minimize sharper edges, it is necessary to wear protective gloves to carry, grip and work with cable elements.

**Electricity injury**

As individual components of cable management systems are made of electrical conductive material, it is essential not to work with a system near live electrical parts. Infringement of the safety regulations may cause serious injury of health or death.

**Safe Use**

Under normal and foreseeable conditions of use, there are no risks to consumers, provided that proper installation and usage are carried out in accordance with the installation manual.

recycling codes:



VSO