


19" modular panels to be equipped with cassettes

Cat. No(s): 0 321 48/75/76/77/89
2 600 07/08/09/73



1. PRESENTATION

19" modular panels to be equipped with automatically removable cassettes.


- 0 321 75 - 1U HD panel: 4 HD cassettes or 8 slim 12-fibre cassettes
- 0 321 76 - 2U HD panel: 8 HD cassettes or 16 slim 12-fibre cassettes
- 0 321 77 - 4U HD panel: 16 HD cassettes or 32 slim 12-fibre cassettes
- 2 600 07 - 1U HD panel: 6 slim 16-fibre cassettes
- 2 600 08 - 2U HD panel: 12 slim 16-fibre cassettes
- 2 600 09 - 4U HD panel: 24 slim 16-fibre cassettes

Equipped with the new-generation Soluclip system for automatic (screwless) fixing on rack or cabinet uprights (Soluclips are designed to adapt to uprights from 1.5 to 2 mm maximum thickness).


Universal mounting on all racks or cabinets with automatic earthing on unpainted uprights. Painted uprights can be connected to earth with a cord and a screw connection.

2. PANEL DIMENSIONS (mm)


Cat. Nos.	A	B	C	D
0 321 75 / 2 600 07	483	44	182	19
0 321 76 / 2 600 08	489.5	89	393	99
0 321 77 / 2 600 09	489.5	178	393	99



0 321 75



0 321 76




0 321 77

3. APPROXIMATE PANEL WEIGHT (kg)

Cat. Nos.	Weight
0 321 75	1.2
0 321 76	4.1
0 321 77	6.5
2 600 07	1.2
2 600 08	4.1
2 600 09	7.7

4. PANEL TECHNICAL CHARACTERISTICS

- 4.1 High density panel characteristics
Can take spliceable, preterminated or copper cassettes.
2U/4U front door with integral marking.



■ 4.2 Maximum capacity

- 1U panel (Cat. Nos. 0 321 75 - 2 600 07)**
48 SC connectors
24 ST connectors
96 LC connectors (192 fibres)
96 SN connectors (192 fibres)
96 MDC connectors (192 fibres)


- 2U panel (Cat. Nos. 0 321 76 - 2 600 08)**
96 SC connectors
48 ST connectors
192 LC connectors (384 fibres)
192 SN connectors (384 fibres)
192 MDC connectors (384 fibres)

- 4U panel (Cat. Nos. 0 321 77 - 2 600 09)**
192 SC connectors
96 ST connectors
384 LC connectors (768 fibres)
384 SN connectors (768 fibres)
384 MDC connectors (768 fibres)


- 4.3 Material characteristics
Material: steel for drawer and rear cable management
Surface treatment: zinc plating
Door: black paint
Halogen-free
IK 05

- 4.4 Storage and operating temperature
-30°C to +60°C

5. PANEL ACCESSORIES



- 5.1 Rear cable management
Cat. No. 0 321 46
Mounted on 1U panel Cat. No. 0 321 75 and 2 600 07 for rear cable management and attachment.




Dimensions (mm):

Cat. Nos.	A	C
0 321 46	443	147

Weight (g): 410

- 5.2 Front cable management
Cat. No. 2 600 73
Mounted on 1U panel Cat. No. 0 321 75 and 2 600 07, 2 side and front door cord guides with integral marking for tidy cord storage on the front panel and sides.



Dimensions (mm):

Cat. Nos.	A	B	C
2 600 73	489.5	44	97

Weight (g): 296


5. PANEL ACCESSORIES (continued)

■ 5.3 4U support for cable tray/Cablofil

Cat. No. 0 321 89

Remote patching solution up to 4U for mounting on cable tray and Cablofil.

Supplied with top cover, cord guides and dedicated accessories for fixing on sheet-metal or wire mesh cable trays and racks.






Dimensions (mm):

Cat. Nos.	A	B	C	D
0 321 89	493	92	133	274

Weight (g): 3 300

6. COMPATIBILITY

Panels				Universal polarity					A/C polarity					HD holder for panel	Accessories		
				OS2/ UPC	OS2/ APC	OM4 Aqua	OM4 Violet	OM5	OS2/ UPC	OS2/ APC	OM4 Aqua	OM4 Violet	OM5				
Base 12		Slim cassette	12F MTP-LC		260021	-	260022	260023	260024	On demand	-	On demand	On demand	On demand			
			2x 12F MTP-SN		260025	-	260026	-	260027	On demand	-	On demand	-	On demand			
			2x 12F MTP-MDC		On demand	-	On demand	-	On demand	-	-	-	-				
		HD cassette	12F MTP-LC		260050	On demand	260048	-	-	On demand	On demand	On demand	-	-		-	
			2x 12F MTP-LC		260051	On demand	260049	-	-	On demand	On demand	On demand	-	-			
			12F MTP-SC		260053	On demand	260052 *Beige	-	-	On demand	On demand	On demand *Beige	-	-			
																	
Base 16	  	Slim cassette	16F MTP-LC		260013	-	260014	260015	260016	On demand	-	On demand	On demand	On demand			
			2x 8F MTP-LC		260017	-	260018	260019	260020	On demand	-	On demand	On demand	On demand			
			4x 8F MTP-SN		260028	-	260029	-	260030	On demand	-	On demand	-	On demand			
			2x 16F MTP-SN		260031	-	260032	-	260033	On demand	-	On demand	-	On demand			
			4x 8F MTP-MDC		On demand	-	On demand	-	On demand	-	-	-	-	-			
			2x 16F MTP-MDC		On demand	-	On demand	-	On demand	-	-	-	-	-			

Panels		Splice cassette	Blocks for splice cassettes									Copper cassettes	Connectors for copper cassettes							
					SM Blue	SM APC Green	MM Aqua	MM Violet	MM Beige	MM Lime				UTP	FTP	STP				
Base 12	032175 	032141  PG 11  x 2	12 fibres	LC		032114	032116	032137	HVBL12	-	032258			Cat5e	033753	033754	-			
	SC				032111	-	-	-	032121	-										
	6 fibres		LC		032113	-	032136	-	-	-		Cat6		033763	033764	033765				
			SC		032110	032112	-	-	032120	-										
					SM Red cap			MM Black cap												
			ST		032117		032127										Cat6A	033773	-	033775